RECEIVED

							V LL					
Please type. Do not complete b	U.S. ENVIRONMENTAL F				SEP	25	2006	I. EPA I.D.	NUMBER			
1 GENERAL	GENERAL IN Consolidated F (Read the "General Instr				<u> </u>	-		3PD00	013		- Grys	
LABEL ITEMS I. EPA I.D. NUMBER	3980001 04 0028	3+	` N `	X	OHIO E	:PA	NED	it in the	printed label has designated space	e. Review	the in	form-
III. FACILITY NAME	O# 00 2 5				7 4			through appropi	refully; if any of i it and enter the iate fill-in below.	correct data Also, if any	a in th y of	е
V. FACILITY MAILING ADDRESS	Revenue I.D. # Person I.D. #			765 85'				left of the that she proper comple	orinted data is ab ne label space lis puld appear), ple ill-in area(s) belo te and correct, yo	ts the inforease provid www. If the la	mation le it in bel is t com	n the plete
VI. FACILITY LOCATION	Place I.D. #	Org. I.D. # Place I.D. # Ohio EPA			must be items if the inst tions ar	III, V, and VI (e completed regal no label has been ructions for detailed for the legal audios data is collect	rdless). C en provided led item de uthorization	omple l. Refe scrip-	ete all er to			
II. POLLUTANT CHARACTE	ATTIMA							Which t	ils data is collect	eu.		
questions, you must subrif the supplemental form	ete A through G to determine whe mit this form and the supplementa is attached. If you answer "no" to equirements; see Section C of the	each each instr	listed questi uction	d in the p ion, you is. See a	arenthesis folk need not subm	owing t	he question of these for	n. Mark "X" ms. You m	in the box in t ay answer "no	he third c " if your a faced ter	olum activit ms.	n y
SPECIFIC	QUESTIONS	YES	MARK NO	FORM ATTACHED	·	5	YES	MARK NO	FORM			
	is this facility a publicly owned treatment works which results in a discharge to waters of the U.S.? (FORM 2A)			ATTACHEU	aquatic ani	oncentr	ility (either e ated animal oduction faci s of the U.S.	feeding ope	eration or results in a			ATACHE
C. Is this a facility which currer to waters of the U.S. oth A or B above? (FORM 20	ner than those described in				D. Is this a pro A or B abo waters of t	<i>ve)</i> whic	acility (<i>other</i> in the second of the second	n a <mark>discha</mark> rg	escribed in e to			
E. Is this a facility which does wastewater? (FORM 2					F. Is this a faci associated		h discharges ustrial activity		2F)			
Part 503? Do you generate another facility for treatme	sludge that is ultimately regulated by e sewage sludge that is sent to ent or blending? Do you process or ge sludge that is disposed in a 3? (FORM 2S)	×						. "				
Wooster WWTP												
IV. FACILITY CONTACT										.,		
Hunter, Michael A., U	A. NAME & TTILE (last, first, _title) Itilities manager	-							(330) 2		285	
V. FACILITY MAILING ADDR												
1123 Old Columbus F	A. STREET OR P.O. BOX											
Wooster	B. CITY OR TOWN					с	STATE OH	7	4691			
VI. FACILITY LOCATION									1 1			
	EET, ROUTE NO. OR OTHER SPECIFIC IDENTIFIE	R	-									
1123 Old Columbus F	Road B. COUNTY NAME											
Wayne	B. COURT I NAME											
Weester	C. CITY OR TOWN	· · · · · · · · · · · · · · · · · · ·					D. STATE		CODE	F. COUNT		
Wooster				4.5		,	ОН	4	4691	*****	85	
			,									

EPA Form 3510-1 (Rev. for Ohio EPA use 2/06)


CONTINUE ON REVERSE

Click to clear all entered information (on both pages of this form) CLEAR



CONTINUED FROM THE FRONT

VII. SIC CODES (4-digit, in order of priority)									
A. FIRST (specify)	****		(spec	ciful	B. SECOND				
4952			1000	-0,77		•			
C. THIRD					D. FOURTH				
(specify)			(spec	ctfy)					
VIII. OPERATOR INFORMATION									
	A. NAME					B. Is the name listed in Item VIII-A also the			
City of Wooster Owner? Yes No									
	o the answer box; if "Other", specify.)			·		D. PHONE (area code & no.)			
F = FEDERAL M = PUBLIC (other than S = STATE O = OTHER (specify) P = PRIVATE	n federal or state) M	(specify)			ı.	(330) 263 – 5244			
E. STREET OR P.O. BOX									
538 North Market Street					<u> </u>				
F. CITY OR TOWN			G. STATE	H. ZIP CODE	IX. INDIAN	I LAND ity located on Indian lands?			
Wooster	•		ОН	44691	Yes	No No			
X. EXISTING ENVIRONMENTAL PERMITS						* 1 * 2 * 1			
A. NPDES (Discharges to surface water)	D. PSD (Air emissions	from propose	ed sources)						
3PD00013*LD	02-85-03-0411								
B. UIC (Underground injection of fluids)	E. OTHER (s)	E. OTHER (specify)							
]	(specify)					
C. RCRA (Hazardous waste)	F. OTHER (s)	pecify)							
	·		. ((specify)					
XI. MAP									
Attach to this application a topographical mathematical mathematical fine outline of the facility, the location of each treatment, storage, or disposal facilities, and	h of its existing and prop d each well where it injec	osed inta ets fluids (ke and dischar	ge structures, each	of its hazard	ous waste			
water bodies in the map area. See instruction		ents.	٠						
XII. NATURE OF BUSINESS (provide a brief des									
Treatment of industrial and domestic	c wastewaters.								
•									
						•			
	•								
XIII. CERTIFICATION (see instructions)									
I certify under penatly of law that I have pers attachments and that, based on my inquiry o application, I belive that the information is tru false information, including the possibility of	f those persons immedia ue, accurate, and comple	ately resp	onsible for obta	aining the information	on contained	in the			
A. NAME & OFFICIAL TITLE (type or print)		B. SIGNATI	JRE	12/		C. DATE SIGNED			
James A. Howey, Mayor			Himerl	M. Hou	re	9/21/06			
COMMENTS FOR OFFICIAL USE ONLY									



For	Facility I	Name:					Date Received (yy/mm/dd)					
Agency Use	Ohio EP	A Permit	Number:					Application Number:				
Chie Form 2A NPDES A Publicly	Applic	ation				scharç	ge V	Vastewater				
I. Outfall	Inform	ation	· · · · · · · · · · · · · · · · · · ·	· - -	····-							
(All treatmer	nt works i	must con	nplete P	art I)								
								nitary wastewater is dischar stem / treatment works byp				
Outfall Number		Latitude	1	 	ongitude		Dis	scharge Point Location	Receiving Water			
001	Deg.	Min. 47	Sec. 08	Deg. 81	Min. 57	Sec.		Final Effluent	Killbuck Creek			
001	40	41	00	01	31	04		Final Enluent	Vilipitck Cieek			
intermitte		sonal?	,					are any of the discharges				
Outfall Number		Period o	of Discha	arge			Frequ	uency	Duration			
			· ·									
II. Treatm	nent W	orks In	forma	tion								
A. Populatio	on. List th	ne munic	ipalities	or areas	served	(municip	palitie	udes the collection system s and unincorporated services needed)				
	1	Municipa	lity or A	rea				Population S	Served			
		City of	Wooste	r	****			26,41	1			
							 .					
		tal Papul				-	26.411					

В.	Co	lle	ctic	n S	iys	tem
----	----	-----	------	-----	-----	-----

Indicate the type percent contribution				s) tributa	ry to this	treatme	nt plant; checl	call that apply	y. Also estimate the	
<u> </u>	Separate Combined	Sanitary d Storm	/ Sewer and San	itary Se	wer		70 % 30 %			
2. Are you respon	sible for r	naintena	ince of t	he entire	collection	on syste	m tributary to t	he treatment	plant?	
X	Yes		No	(List er	ntities wh	o are re	sponsible for t	he collection :	system below)	
3. Total number of	f lift statio	ns in yo	ur collec	tion syst	tem.					
9 2	Separate Combine	Sanitary d Storm	/ and Sar	itary						
4. Does your colle	ction sys	tem hav	e bypass	ses or ov	verflows?	? (Do no	t include CS0s	;)		
	Yes	:	× No)						
If yes, are	the overf	lows or l	oypasse	s:						
b. u	ınintentio	nal and	beyond t	the reaso	onable c	ontrol of	aulic relief to t the operator red", complete			
Discharge Point	T	Latitude	<u></u>	Longitude						
Location	Deg.	Min.	Sec.	Deg.	Min.	Sec.	Receiving Water		Treatment Description	
	<u> </u>	<u> </u>	<u> </u>							
Latitude/Longit	ude Data	Comme	nts:							
5. List source(s) o	f water s	upply tha	at servic	es the e	ntire colle	ection sy	stem. (Attach	additional pa	ges as needed)	
Sou	rce Type				Source	Locatio	n		Owner	
grou	ındwater					Well Fiel		C	City of Wooster	
grou	ındwater				South	Well Fie	ld	C	City of Wooster	
C. Inflow and Infi	Itration									
1. Estimate the cu	ırrent ave	erage inf	low and	infiltratio	n flow ra	ite in gal	lons per day (gpd) for the se	ewerage system:	
2,107,00	00 gpd							•		
Continuation of	the sew	er separ	ation pla	n. Curre	ntly the	City spe	nds approxima	ately \$2M/yea	itional pages as needed) r on this program. moke testing program.	
D. Flow. Indicate the design influent flow rate of your treatment plant. Also provide the annual average daily flow rate for each of the last three years (mgd to three decimal places).										
1. Design daily in	1. Design daily influent flow rate:7.500 mgd									

	Two Ye	ars Ago	Last Year	This Year				
2. Annual average daily	y flow rate: 5.7	04	6.229	4.748	mgd			
3. How was flow rate de	etermined?	·			:			
× Parshall Flume	Weir Ventur	i Ele	ectromagnetic	Sonic _	Estimate Other			
4. Location where flow	rate was measured: Efflu	ent line be	fore UV chamb	per				
5. Are there current or o	expected plans to expand	the existin	ig treatment pla	ant capacity durir	ng the life of the permit?			
	Provide details on expan				No.			
	Description (Attach add	·						
	·		·					
Give the approximate	e year of the treatment pla	ant constru	ction:1938	<u> </u>				
2. Give the approximate	e year of the treatment pla	ant last ma	jor modificatior	n: <u>2006</u>				
3. List all treatment unit	ts at the treatment plant. [Do <u>not</u> inclu	ude units for tre	eating sewage slu	udge.			
Treatment Code (See Instructions)	Treatmen	t Type		Manufacturer (if known)				
01	Influent P	umping		Fa	Fairbanks Morse			
02	Bar Sc	reen			Unknown			
03	Grit Ren	noval			Unknown			
04	Commu	nition		JW	C Environmental			
08	Primary Sedi	mentation			Eimco			
25	Activated Sludge - E	xtended A	eration		SaniTaire			
39	Secondary C	larification		Eimco				
71	Post Aei	ation		Hydro-Mechanics				
77	Ultravi	olet		Aquionics				
	plant have provisions for b Complete the following tal	•	untreated or pa		stewater?			
Bypass Location	Station Number (if applicable)		Bypass Type	·	Number of times used in last year			
5. Does your treatment during power outages		ators or oth	er provision(s)	to allow operation	on and/or treatment to continue			
XYes	No							

F. Treatment Opera	ations					
1. Number of emplo	yees at the treatr	nent works				
8 Co	ollection system	8	hr/day	5	days/wk	
<u>14</u> Tr	eatment plant	24	hr/day	_ 7	days /wk	
2. Name and certific	•	•	narge of the tr	eatment w	orks.	
3. Name and certific (if known). (Attac Michael A. Hunte	h additional page	es as needed)	narge of each	collection	system tributary to the tr	eatment plant
Michael A. Hunte	1, Class IV (VVVV	+-1010347-31)				
				•		
4. Do so the twenty-		on oveten and/	las transferant s	alant) hava	an Operations and Main	stananaa Manual?
4. Does the treatme	nt works (collecti	on system and/	or treatment p	piant) nave	an Operations and Mair	itenance ivianuai?
X Y	es (Complete the	following table	. Attach addi	tional page	es as needed.)	No
Туре		Developed By			Date Developed	Date of Last Modification
O & M	Jone	Jones & Henry Engineers, Ltd.			1988	1988
G. Improvements						
Are you required upgrading or ope may affect the disadministrative ord	ration of wastews scharges describ ders, enforcemer	ater treatment e ed in this applic it compliance so	equipment or partion? This in chedule letters	oractices or cludes, but s, stipulation	elementation schedule for r any other environmenta t is not limited to, permit ons, court orders, and gra	al programs which conditions ant or loan condition
XY	es (Complete the	following table.	. Attach addit	tional page	s as needed.)	No
Identification of Co	ondition Outf		Desc	cription of F	Project	Final Compliance Date
Overflows	00	5 Limit o	verflows at st	ation 005 t	o 5 year storm events	04/07/2007
		,				
				· · · · · · · · · · · · · · · · · · ·		
	ojects which may	affect your disc			llution control programs y in progress or planned	

6. Provide a line drawing showing the wastewater flow through the treatment plant, including all bypass piping.

III. Con	mbined Sewers System I	nform	ation	(Attach	addition	al pages	as needed	d)
A. Does t	he treatment works have CSOs	in the	collection	n system	1?			
_	Yes (Complete the follow	owing to	able for e	each CS	O)		No	
Outfall Number	Description	Latitude Deg. Min. Sec.		——— е	Longitude			Receiving Water
Number				Deg. Min. Sec.			•	
003	Bever St. Swirl Concentrator	Deg. 40	47	32	81	56	10	Apple Creek
004	Elm St. Swirl Concentrator	40	47	25	81	56	31	Apple Creek
004	Apple Creek Overflow	40	47	17	81	56	38	Apple Creek
003	Apple Creek Overflow	40	47	''	01	1 30	36	Apple Creek
, 					 		<u> </u>	
			-		1			
-			<u> </u>		J	<u> </u>		
_atitude/L	ongitude Data Comments: <u>Non</u>	е						· .
Date 04/01/2 01/20/2			ition		Author <u>Finkbein</u> GGJ, Ind		s & Strout	(FPS)
01/20/2	Long Term Control P	lan			GGJ, Inc	D		And the second s
04/01/2	2006 Master Plan - Sewer	Separa	ition	:	Arcadis	(FPS)		
IV. Indi	ustrial Users Information	1						
						· · · · · · · · · · · · · · · · · · ·		
	er of Industrial Users. Provide ent works.	the nu	mber of	each of t	he follow	ving type	es of indust	trial users that discharge to thi
		00				•		
	Number of Industrial Users:					0		
	Number of non-categorical sign				(SIU):	<u></u>	-	
3.	Number of categorical industria	al users	s: <u> 4</u>	<u> </u>			•	
B. Averaç users.	ge Daily Flow from all Industri	ial Use	rs. Estin	nate the	total ave	erage da	ily wastewa	ater flow from all industrial
1.	All industrial users:0.539	_ mgd						
2.	Non-categorical SIUs only:	0.413	mgd					
3.	Categorical industrial users on	ly:0	0.040	mgd				
C. Pretrea	atment Program. Does this PO	TW ha	ve an ap	proved i	oretreatr	nent pro	gram?	
	oes this POTW have technically						-	
	Limits Evaluation. All POTWs all evaluation of the need to revition.							

EPA 4496 (7/05)

A. RCRA/CERCLA/BUST	TR/VAP Wastes. Does the treatment CRA hazardous waste, CERCLA (Sor VAP waste?						
Yes (Co	omplete the following table. Attach a	dditional pages as needed.)	XNo				
Type of Action	Waste Origin	Was	ste Description				
VI. Contract Labora	story Information						
VI. Contract Labora	itory information	.,					
	Analysis Information. Are any of the med by a contract laboratory or con-		fluent quality information or				
XYes (Co	omplete the following table. Attach a	additional pages as needed.)	No				
Name	Address	Telephone Number	Pollutants Analyzed				
Alloway	508 Bissman Ct., Mansfield, OH 44906	419-223-1362	All as specified in Permit				
EA Group	7118 Industrial Park Blvd., Mentor, OH 44060	440-951-3514	Nitrite/Nitrate, CN - free and Chrom Hex				
esults of whole effluent be erformed during the last est requirements. a Whole Effluent Biolog	v rate greater than 1 mgd or POTWs iological toxicity tests for acute or character three years and must have followed pical Toxicity Test being submitted?	oronic toxicity for each discharge Ohio EPA testing protocol.	arge. The tests must have been				
VIII. Certification							
certify under penalty of law system designed to assure he person or persons who n he best of my knowledge ar	that this document and all attachments that qualified personnel properly gathe manage the system or those persons directly belief, true, accurate and complete. It is sibility of fine and imprisonment for known in the state of the system of	r and evaluate the information s ectly responsible for gathering t am aware that there are signific	submitted. Based on my inquiry of the information, the information is, t				
A. NAME AND OFFICIAL	TITLE (type or print)	B. PHONE NO. (area code &	no.)				
James A. Howey,	Mayor	330-263	330-263-5245				
C. SIGNATURE	h. Nawer	D. DATE SIGNED					
PA 4496 (7/05)		1 - 7 - 7 - 9	Page				


NPDES Form 2A – Section D Response to Question 5

Are there current or expected plans to expand the existing treatment plant during the life of the permit? Answer: Yes.

The City of Wooster is currently under construction of the WPCP to improve performance at the current daily design flow rate of 7.5 mgd with an increase in the peak daily flow rate from 15.0 mgd to 27.0 mgd. Modifications and improvements include but are not limited to:

- 1. modify influent screening facilities
- 2. demolish existing Detritor
- 3. modify and expand influent pumping facilities
- 4. modify FOG removal process
- 5. modify existing primary settling tanks
- 6. construct new BioPHOS Reactor
- 7. covert existing aeration tanks to Vertical Loop Reactors
- 8. construct new MLSS screening building
- 9. construct new secondary distribution chamber
- 10. demolish nitrification towers and appurtenances
- 11. construct new secondary sludge pump station
- 12. construct two (2) new secondary settling tanks
- 13. construct new flood wall
- 14. construct new Parshall Flume
- 15. convert chlorine tank to UV
- 16. modify effluent pumping
- 17. covert two (2) anaerobic digesters to Sequencing Facultative Digesters
- 18. convert sludge mix tank to support Sequencing Facultative Digesters
- 19. modify existing anaerobic digesters
- 20. construct new Septage Receiving Station and pretreatment facilities
- 21. covert filter building to switchgear/methane generator building
- 22. modify site to support improvements
- 23. demolish various existing facilities to support improvements
- 24. construct new HVAC to support improvements
- 25. construct new SCADA system

The foregoing modifications and improvements will satisfy the requirements of the existing permit, Part I, C – Schedule of Compliance (A: Municipal Construction Schedule, paragraph 1) that requires the City of Wooster to "eliminate overflows from the Apple Creek Interceptor sewer (005) up to an estimated five-year precipitation event."



For	Facility Name:	Date Received (yy/mm/dd)
Agency Use	Ohio EPA Permit Number:	Application Number:



Form 2S NPDES Application for Sewage Sludge Use or Disposal

I. General Information			
A. Treatment System Description			

1. List all treatment units used for collecting, dewatering, storing, or treating sewage sludge:

Treatment Code	Treatment Type	Manufacturer			
C2	Primary Sedimentation	Eimco			
A6	Gravity Thickner	Unknown			
94	Anaerobic Didestion	Unknown			
A2	Sludge Lagoon	Unknown			
, C4	Land Spreading	N/A			
	·				

2.	Provide a line drawing that identifies all sewage sludge treatment processes that will be employed during the term of the permit.
3.	Is this facility a Class I sludge management facility? Class I facilities include POTWs required to have an approved pretreatment program.
	Yes No
4.	Process design capacity of the sewage sludge treatment system (gallons of sludge/yr x 8.34 lb/gal x tons/2000 lb x

	·	
	· · · · · · · · · · · · · · · · · · ·	
-	Date of the sewage sludge treatment system construction or last major modification:	01/01/2003
~	i iste ot the seware sillare treatment system construction or isst major modification.	111/11/1/2011.5

5.	Date of the sewage sludge treatment system construction or last major modification:	on: 01/01/2003

B. Amount Generated On Site

1,224

percent solids):

1.	Total sewage sludge generated at your facility for the most recent year:	785	dry tons
2.	Do you receive sewage sludge from other generators? Yes	<u> </u>	_ No
	If yes, total received from other generators for the most recent year:		_dry tons
3.	Do you receive domestic septage? Yes X No		
	If ves, total amount of domestic sentage received for the most recent year:		nallo

dry tons/yr

EPA 4497 (10/03)

C. Pollutant Information. Using the table below, provide data on the pollutant concentrations in sewage sludge from your facility during the previous year.

Laboratory Name: Alloway Environmental Testing Services, Mansfield, OH

Pollutant Name	CAS#	No. of Analyses	Average Concentration (mg/kg)	Maximum Monthly Average Concentration (mg/kg)	Range of Data (Min Max.) (mg/kg)	Minimum Detection Level
Arsenic	7440-38-2	10	4.63	8.86	1.54-8.86	1.67
Cadmium	7440-43-9	10	2.26	4.12	1.44-4.12	0.52
Copper	7440-50-8	10	78.26	332.00	5.66-332.00	1.38
Lead	7439-92-1	10	20.33	76.40	3.93-76.40	1.72
Mercury	7439-97-6	10	0.00	0.00	0.00-0.00	1.72
Molybdenum	7439-98-7	10	2.05	20.50	0.00-20.50	3.45
Nickel	7440-02-0	10	7.48	28.50	1.69-28.50	1.38
Selenium	7782-49-2	10	5.77	10.90	0.64-10.90	1.53
Zinc	7440-66-6	10	133.07	543.00	11.00-543.00	1.72

D. Sewage sludge treatment and disposal characteristics. Complete the following to determine the applicability of your facility's sewage sludge use or disposal practices. If you answer yes to any question, you must complete the applicable section. Complete all sections that apply to your facility.

NO	Is sewage sludge from your facility hauled to another facility that provides treatment or blending? This section does <u>not</u> apply to sewage sludge hauled to land application or surface disposal sites. (Section II: Shipment Off Site for Treatment)
YES	Is sewage sludge from your facility applied to the land? This section includes exceptional quality sewage sludge (EQS) and sewage sludge applied to land reclamation sites. (Section III: Land Application of Bulk Sewage Sludge)
NO	Is sewage sludge from your facility placed on a surface disposal site? (Section IV: Surface Disposal)
NO	Is sewage sludge from your facility fired in a sewage sludge incinerator? (Section V: Incineration)
NO	Is sewage sludge from your facility placed on a municipal solid waste landfill? (Section VI: Disposal In a Municipal Solid Waste Landfill)

II. Shipment Off Site for Treatment or Blending				
A. Total sewage sludge hauled to all receiving				
B. Information on off site treatment or blen pages as necessary)	ding. Complete this section for eac	ch receiving facility (Attach additional		
1. Name of facility:				
2. Facility contact: Name:	·			
Title:	Ph	one:		
3. Facility location: Street:				
City:	State:	Zip:		
4. Total sewage sludge provided to this receiv	ing facility for the most recent year:	dry tons		

III. L	III. Land Application of Bulk Sewage Sludge				
A. Lan	d Application Generation Information				
1. Tota	al sewage sludge from your facility applied to all land a	pplication	on sites for the most recent year: 785 dry tons		
2 Tota	al number of land application sites currently assigned a	n Ohio	EPA site identification number: 153		
3. Tota	al acreage of land application sites currently assigned	an Ohio	EPA site identification number:		
4. List	all counties that you currently (or you expect during th	e life of	the permit to) land apply sewage sludge.		
5. Are	any land application sites located in states other than	Ohio?	YesXNo		
If ye	s, describe how you notify the permitting authority for	the Stat	es where the land application sites are located.		
	•				
	s sewage sludge from your facility meet the ceiling colutant concentrations in Table 3 of 40 CFR 503.13?				
	s, provide total percentage from Section III A.1 that met that was land applied:100%	et the ce	iling and pollutant concentrations for the most recent		
	s sewage sludge from your facility meet the ceiling corpollutant concentrations in Table 3 of CFR 503.13?				
	s, provide total percentage from Section III A.1 that me centrations for the most recent year that was land appl				
8. Wha	at percentage of sewage sludge from Section III A.1 (in s? Class A 100% Class		s per year) is achieved for each pathogen reduction		
a Whi	ch Pathogen Reduction Alternative is used to achieve	the clas	s9 (Choose all that anniv)		
9. VVIII	cit ratilogen Reduction Alternative is used to achieve	lile clas	s: (Choose an that apply)		
	Class A		Class B		
	Thermally Treated Biosolids		Monitoring of Indicator Organisms		
	Biosolids Treated in a High pH- Temp.		PSRP, Aerobic Digestion		
	Biosolids Treated in Other Processes		PSRP, Air Drying		
	Biosolids Treated in Unknown Processes	X	PSRP, Anaerobic Digestion		
	PFRP, Composting		PSRP, Composting		
	PFRP, Heat Drying		PSRP, Lime Stabilization		
	PFRP, Thermophilic Aerobic Digestion		Biosolids Treated in a PSRP Equivalent		
	PFRP, Beta Ray Irradiation				
	PFRP, Gamma Ray Irradiation				
	PFRP, Pasteurization				
	PFRP, Heat Treatment				

Biosolids Treated in a PFRP Equivalent

10. Which Vector Attraction Reduction option is met for the sewage sludge at your facility? (Choose all that apply)


	VAR Option	
X	Option 1 (Minimum 38 percent reduction in volatile solids)	
	Option 2 (Anaerobic process, with bench-scale demo)	
	Option 3 (Aerobic process, with bench-scale demo)	
	Option 4 (Specific oxygen uptake rate for aerobic digested sludge)	
	Option 5 (Aerobic process plus raised temperature)	
	Option 6 (Raise pH to 12 and retain at 11.5)	-
	Option 7 (75 percent solids with no unstabilized solids)	
	Option 8 (90 percent solids with unstabilized solids)	
X	Option 9 (Injection below land surface)	
X	Option 10 (incorporation into soil within 24 hours)	
	Option 11 (Cover sludge placed on a surface disposal)	
	Option 12 (Domestic septage pH adjustment)	


В.	Spill Contingency Plan. All facilities that land apply sewage sludge are required to have a spill contingency plan.
1.	Date spill contingency plan was submitted to Ohio EPA:
2.	Have there been any substantial modifications to the spill contingency plan since it was submitted to Ohio EPA? Yes X No
	If yes, please submit a copy of the modified spill contingency plan to the appropriate district office.
ľ	V. Surface Disposal
Α.	Total sewage sludge from your facility placed on all surface disposal sites for the most recent year: dry tons
В.	Information on Active Sewage Sludge Units. Complete this section for each active sewage sludge unit. (Attach additional pages as necessary)
1.	Name of facility:
2.	Facility contact: Name:
	Title: Phone:
3.	Facility location: Street:
	City: State: Zip:
4.	Total sewage sludge placed on the active sewage sludge unit for the most recent year: dry tons
_	/. Incineration
Α.	Total sewage sludge from your facility fired in all sewage sludge incinerators for the most recent year: dry tons
В.	Information on Sewage Sludge Incinerators. Complete this section for each incinerator. (Attach additional pages as necessary)

EPA 4497 (10/03) Page 4 of 5

Name of facility:			
**			
Title:		Phone:	
4. Facility location: Street:		· .	
City:	State:	Zip:	
5. Total sewage sludge from your facility			
dry tons			
VI. Disposal in a Municipal Sol	lid Waste Landfill		
A. Total sewage sludge from your facility	y placed in all municipal solid was	ste landfills for the most recent year:	
dry tons			
B. Information on municipal solid was (Attach additional pages as necessary		on for each municipal solid waste landfill.	
Name of facility:	· · · · · · · · · · · · · · · · · · ·		
2. Facility contact: Name:			
		Phone:	
3. Facility location: Street:			
City:			
4. Total sewage sludge from your facility			
dry tons	•		
			
VII. Certification			
a system designed to assure that qualified pe the person or persons who manage the syste	ersonnel properly gather and evaluate em or those persons directly responsi ccurate and complete. I am aware tha	ed under my direction or supervision in accordance with e the information submitted. Based on my inquiry of ible for gathering the information, the information is, to at there are significant penalties for submitting false ns.	
A. NAME AND OFFICIAL TITLE (type of	or print) B. PHONE	NO. (area code & no.)	
James A. Howey, Mayor	, , ,	263-5245	
c. signaturé Juneila. Hon	D. DATES	SIGNED () () () () () () () () () () () () ()	

City of Wooster WPCP Sewage Sludge





REVISIONS DATE DESCRIPTION BY



CITY OF WOOSTER WATER POLLUTION CONTROL PLANT

TECHNICAL JUSTIFICATION OF LOCAL INDUSTRIAL USER LIMITATIONS

AUGUST 2002

The work completed in the preparation of the proposed local industrial user limitations for the City of Wooster, as described in this report, has been completed in accordance with good engineering practices.

O ANKROM

COMO NA ATOMICO CONTRACTOR CONTRA

Laura M. Ankrom, P. State of Ohio

#E-64430

8|27|02_ Date JAMES A. HOWEY

Mayor



MICHAEL A. HUNTER *Utilities Manager* Phone (330) 263-5290 (330) 263-5286 Fax (330) 263-5291

CITY OF WOOSTER 1123 Old Columbus Road WOOSTER, OHIO 44691-4618

August 28, 2002

Mr. Andrew Conway Pretreatment Unit Ohio Environmental Protection Agency Lazarus Government Center 122 South Front Street Columbus, Ohio 43215

RE: City of Wooster WPCP Local Industrial User Limitations Technical Justification NPDES Permit No. 3PD00013*KD

Dear Mr. Conway:

Please find enclosed the technical justification of the local industrial user limitations per Part I, Section C, Item B of the City of Wooster's NPDES Permit No. 3PD00013*KD.

Technical justification was evaluated for arsenic, cadmium, dissolved hexavalent chromium, total chromium, copper, free cyanide, lead, nickel, silver, and zinc. An evaluation of mercury's allowable industrial user limitation will be submitted per the timeline in the City's NPDES permit.

Thallium is not present in significant quantities in the WPCP's influent or sludge, nor are there significant industrial users believed to discharge thallium. Therefore, thallium was not evaluated in this submittal.

Dissolved hexavalent chromium was evaluated; however, the City does not believe a local limit is necessary at this time. There are no significant concentrations of dissolved hexavalent chromium in the influent or effluent and the maximum allowable headworks loading calculations yield a local limit higher than that for total chromium. The City will continue to monitor dissolved hexavalent chromium levels in the plant and if an increase in concentration is noted the need for a dissolved hexavalent chromium local limit will be reevaluated.

Given the foregoing, the City's current local limitations do not need to be revised at this time. The following table summarizes the proposed limitations:

City of Wooster, WPCP Technical Justification, Local Limitations August 28, 2002 Page 2

Pollutant	Proposed Limit (mg/L)	Basis for Limit
Arsenic	0.03	Existing
Cadmium	0.04	Existing
Chromium	1.25	Existing
Copper	0.48	Existing
Cyanide	0.29	Existing
Lead	0.43	Existing
Nickel	0.90	Existing
Silver	0.50	Existing
Zinc	0.77	Existing

If you have any questions or comments regarding this submittal, please feel free to contact me or the Pretreatment Coordinator, Lee Troyer, at (330) 263-5290.

Respectfully yours,

Michael a. Hunter

Michael A. Hunter, 4-97-001 Utilities Manager

MAH

Enclosure

c: James Borton, Asst. Utilities Manager, WPCP Lee Troyer, Industrial Pretreatment Coordinator

TABLE OF CONTENTS

Section 1: Local Limits Summary

Section 2: Input Data

Section 3: Maximum Allowable Headworks Loading Calculations

Section 4: Parameter Allocation

Section 5: Sampling Data

Section 6: Facility Site Plan

LOCAL LIMITATION SUMMARY (mg/L)

Pollutant	Existing Limit*	Calculated Contributory Flow	Calculated Uniform Flow	Proposed Limit
Arsenic	0.03	0.28	0.25	0.03
Cadmium	0.04	1.62	0.06	0.04
Chromium	1.25	7.56	1.25	1.25
Chromium, Hex.	-	3.42	0.57	**
Copper	0.48	1.12	0.19	0.48
Cyanide	0.29	4.26	0.23	0.29
Lead	0.43	4.59	0.36	0.43
Nickel	0.90	19.29	1.47	0.90
Silver	0.50	44.49	2.20	0.50
Zinc	0.77	18.99	3.29	0.77

^{*}The existing limitations were developed using the contributory flow method of allocation.

^{**}A limit is not being proposed for Hexavalent Chromium at this time.

Input Data

Facility Name:

Wooster Water Pollution Control Plant

Address:

1123 Old Columbus Road

Wooster, OH 44691

Facility Contact:

Lee Troyer, Pretreatment Coordinator

Phone:

(330)263-5200, Ext. 386

Flow Information:

Plant Average Flow, MGD: 5.6 Sludge to Disposal, MGD: 0.0300
Industrial Flow, MGD: 0.758 Sludge to Disposal Percent Solids: 7.6
Domestic Flow, MGD: 4.84 Annual Dry Tons Sludge Applied: 804.5
Dry Tons per Day: 2.20

Plant Processes:

Primary Clarification: X

Activated Sludge: X

Trickling Filter:

Other Secondary:

Nitrification: X

Aerobic Sludge Digestion:

Anaerobic Sludge Digestion: X

Input Data

	Average Influent ¹	Average Effluent ¹	Average Domestic ^{2,3}	NPDES/ Water Quality ⁴	Sludge to Disposal ⁵	Ceiling Conc. 503 Table 1	Application 503 Table 3
Pollutant	mg/L	mg/L	mg/L	mg/L	mg/kg	mg/kg	mg/kg
Arsenic	0.0106	0.0068	0.0037	0.178	22	75	41
Cadmium	0.0006	0.0006	0.0005	0.0054	0.9	85	39
Chromium	0.016	0.0136	0.0038	0.183	25	_	-
Chromium, Hex.	0.03725	0.00475	0.0038	0.013	_	-	<u>-</u>
Copper	0.033	0.0052	0.0861	0.020	66	4300	1500
Cyanide	0.0095	0.0095	0.0025	0.014	0.9	-	-
Lead	0.006	0.0017	0.0106	0.021	18	840	300
Mercury	0.00016	5.4E-05	TBD	0.0022	0.14	57	17
Molybdenum	0.0237	0.0192	0.0024	- .	6	75	-
Nickel	0.0042	0.00195	0.0046	0.119	10	420	420
Selenium	0.0042	0.00333	0.0035	<u>-</u>	3	100	100
Silver	0.0062	0.00088	0.0016	_	-		
Zinc	0.106	0.0382	0.207	0.281	138	7500	2800

¹Raw, settled and final concentration data was averaged from January 2001 through July 2002.

² When domestic sampling indicated all points BDL, 1/2 reported detection limit was used

³Domestic concentrations from sampling performed July 30, 2002 through August 5, 2002.

⁴Hexavalent chromium and cyanide values are monthly NPDES discharge monitoring requirements. All other values are water quality based criteria listed in Part X, Section 3 of the NPDES permit.

⁵Sludge Data taken from 2001 Annual Sludge Report.

Input Data

	Activated Sludge Inhibition	Plant Influent	Inhibition Value Used	Removal Efficiency Primary	Removal Efficiency Plant		Safety Factor
Pollutant	mg/L	mg/L	mg/L	Filliary %	%		% Factor
Arsenic	0.10	0.0106	0.10	23.0%	36.0%	b	20.0%
Cadmium	1.00	0.0006	1.00	15.0%	50.0%	а	20.0%
Chromium	1.00	0.016	1.00	0.0%	15.0%	b	20.0%
Chromium, Hex.	1.00	0.037	1.00	0.0%	87.0%	b	20.0%
Copper	1.00	0.033	1.00	39.0%	84.0%	b	20.0%
Cyanide	0.10	0.0095	0.10	27.0%	66.0%	а	20.0%
Lead	0.20	0.006	0.20	40.0%	71.0%	b	20.0%
Mercury	0.10	0.00016	0.10	61.0%	66.0%	b	20.0%
Molybdenum	-	0.0237	••	13.0%	19.0%	b	20.0%
Nickel	1.00	0.0042	1.00	22.0%	53.0%	b	20.0%
Selenium		0.0042	-	21.0%	21.0%	b	20.0%
Silver	0.25	0.0062	0.25	33.0%	86.0%	b	20.0%
Zinc	1.00	0.106	1.00	40.0%	64.0%	b	20.0%

a Literature Removal Rate Value

ь Plant Data Removals determined during sampling program

Calculation of Pass-Through Headworks Loading (lbs/day)

POTW Name:

	NPDES Permit*	Removal Rate	MAHL Limitation
Pollutant	mg/L	%	lbs/day
Arsenic	0.178	36.0%	12.9896
Cadmium	0.0054	50.0%	0.5044
Chromium	0.183	15.0%	10.0551
Chromium, Hex.	0.013	87.0%	4.6704
Copper	0.02	84.0%	5.8380
Cyanide	0.014	66.0%	1.9231
Lead	0.021	71.0%	3.3820
Nickel	0.119	53.0%	11.8251
Silver	-	86.0%	-
Zinc	0.281	64.0%	36.4551

^{*}Hexavalent chromium and cyanide values are monthly NPDES discharge monitoring requirements. All other values are water quality based criteria listed in Part X, Section 3 of the NPDES permit.

Calculation of Process Inhibition Headworks Loading Limitation (Ibs/day)

POTW Name:

	Inhibition	Removal	Activated sludge
·	Levels	Rate	MAHL
Pollutant	mg/L	%	lbs/day
Arsenic	0.1	23.0%	6.065
Cadmium	1	15.0%	54.946
Chromium	1	0.0%	46.704
Chromium, Hex.	11	0.0%	46.704
Copper	1	39.0%	76.564
Cyanide	0.1	27.0%	6.398
Lead	0.2	40.0%	15.568
Nickel	. 1	22.0%	59.877
Silver	0.25	33.0%	17.427
Zinc	1	40.0%	77.840

Calculation of Process Inhibition Headworks Loading Limitation (Ibs/day)

POTW Name:

	Inhibition Removal		Nitrification
	Levels	Rate*	MAHL
Pollutant	mg/L	%	lbs/day
Arsenic	1.5	45.0%	127.375
Cadmium	5.2	67.0%	735.942
Chromium	0.25	82.0%	64.867
Chromium, Hex.	1	82.0%	259.467
Copper	0.05	86.0%	16.680
Cyanide	0.34	69.0%	51.224
Lead	0.5	61.0%	59.877
Nickel	0.25	42.0%	20.131
Silver		75.0%	
Zinc	0.08	79.0%	17.792

^{*}Literature values were used for all pollutants.

Calculation of Process Inhibition Headworks Loading Limitation (lbs/day)

POTW Name:

	Inhibition	Removal	Anaerobic
	Levels	Rate*	MAHL
Pollutant	mg/L	%	lbs/day
Arsenic	1.6	45.0%	135.87
Cadmium	20	67.0%	2,830.55
Chromium		82.0%	nd?
Chromium, Hex.	110	82.0%	28,541.33
Copper	40	86.0%	13,344.00
Cyanide	4	69.0%	602.63
Lead	340	61.0%	40,716.31
Nickel	10	42.0%	805.24
Silver	13	75.0%	2,428.61
Zinc	400	79.0%	88,960.00

^{*}Literature values were used for all pollutants.

Calculation of Sludge Disposal Headworks Loading Limitations (lbs/day)

POTW Name:

	Pollutant	Removal	Sludge Disposal
	Concentration	Rate	MAHL
Pollutant	mg/kg	%	lbs/day
Arsenic	41	36.0%	2.1656
Cadmium	39	50.0%	1.4832
Chromium	_	15.0%	_
Chromium, Hex.	-	87.0%	~
Copper	1500	84.0%	33.9557
Cyanide		66.0%	-
Lead	300	71.0%	8.0346
Nickel	420	53.0%	15.0686
Silver	-	86.0%	~
Zinc	2800	64.0%	83.1915

Comparison of Headworks Loading Limitations (lbs/day)

POTW Name:

	Final	Final	Final	Final
	Passthrough	Inhibition*	Sludge	Headworks
Pollutant	Loading	Loading	Loading*	Limitation
Arsenic	12.9896	6.0655	2.1656	2.17
Cadmium	0.5044	54.9459	1.4832	0.504
Chromium	10.0551	46.7040		10.06
Chromium, Hex.	4.6704	46.7040	-	4.670
Copper	5.8380	76.5639	33.9557	5.84
Cyanide	1.9231	6.3978	••	1.923
Lead	3.3820	15.5680	8.0346	3.38
Nickel	11.8251	59.8769	15.0686	11.83
Silver		17.4269	-	17.43
Zinc	36.4551	77.8400	83.1915	36.46

^{*}Nitrification and Anaerobic Digestion inhibition values were not considered in the final maximum headworks loading limitations because current loadings are acceptable to the WPCP's biological processes.

Conservative Parameter Allocation Using Contributory Flow Method

	Max. Allowable HW. Loading	Domestic Flow	Domestic Loading	Safety Factor	Allowable Ind. Loading	Contributory Ind. Flow	Local Limit
Pollutant	lbs/day	MGD	lbs/day	20%_	lbs/day	MGD	mg/L
Arsenic	2.17	4.92	0.15	0.43	1.58	0.679	0.28
Cadmium	0.50	5.57	0.02	0.10	0.38	0.028	1.62
Chromium	10.06	5.48	0.17	2.01	7.87	0.125	7.56
Chromium, Hex	4.67	5.48	0.17	0.93	3.56	0.125	3.42
Copper	5.84	5.52	3.97	1.17	0.70	0.076	1.12
Cyanide	1.92	5.56	0.12	0.38	1.42	0.040	4.26
Lead	3.38	5.54	0.49	0.68	2.22	0.058	4.59
Silver	17.43	5,56	0.11	3.49	13.83	0.037	44.49
Nickel	11.83	5.54	0.21	2.37	9.25	0.057	19.29
Zinc	36.46	5.48	9.45	7.29	19.71	0.124	18.99

1	Bell & Howell	Local Limits	0.009182	(Cr, Cr-hex, Ag, Zn)
2	Crown Steel	Categorical	0.018121	(As, Cr, Cr-hex)
3	Frito-Lay	Local Limits	0.614587	(As)
4	Gerstenslager, North	Categorical	0.02939	(Cr, Cr-hex, Pb, Ni, Zn)
5	Luk, Inc.	Categorical	0.010379	(As, Zn)
6	Rexroth	Categorical	0.040083	Cr, Cr-hex, Cu, CN, Zn)
7	Wooster Products	Local Limits	0.007341	(As, Cu, Zn)
8	Ports Petroleum	Local Limits	0.000394	(Pb)
9	Enviroclean	Categorical	0.028095	(As, Cd, Cr, Cr-hex, Cu, Pb, Ni, Ag, Zn, Hg)

TOTAL: 0.758

Conservative Parameter Allocation Using Uniform Contribution Allowable Industrial Loading

	Maximum Allowable	Background Domestic	Allowable Industrial	
Pollutant	Headworks Loading	Loading*	Loading**	Limiting
	lbs/day	lbs/day	lbs/day	Factor
Arsenic	2.17	0.149	1.58	Sludge
Cadmium	0.50	0.020	0.38	Passthrough
Chromium	10.06	0.153	7.89	Passthrough
Chromium, Hex.	4.67	0.153	3.58	Passthrough
Copper	5.84	3.477	1.19	Passthrough
Cyanide	1.92	0.101	1.44	Passthrough
Lead	3.38	0.428	2.28	Passthrough
Nickel	11.83	0.186	9.27	Passthrough
Silver	17.43	0.065	13.88	Inhibition
Zinc	36.46	8.359	20.80	Passthrough

^{*}Domestic Loading based on domestic flow of 4.84 MGD

^{* *}Includes a 20% Safety Factor

Conservative Parameter Allocation Using Uniform Contribution

	Allowable Industrial		Local
	Loading	Industrial Flow	Limit
Pollutant	lbs/day	MGD	mg/L
Arsenic	1.58	0.758	0.25
Cadmium	0.38	0.758	0.06
Chromium	7.89	0.758	1.25
Chromium, Hex.	3.58	0.758	0.57
Copper	1.19	0.758	0.19
Cyanide	1.44	0.758	0.23
Lead	2.28	0.758	0.36
Nickel	9.27	0.758	1.47
Silver	13.88	0.758	2.20
Zinc	20.80	0.758	3.29

Bell & Howell	0.009182
Crown Steel	0.018121
Frito-Lay	0.614587
Gerstenslager, North	0.02939
Luk, Inc.	0.010379
Rexroth	0.040083
Wooster Products	0.007341
Ports Petroleum	0.000394
Enviroclean	0.028095
TOTAL	0.758

WOOSTER WPCP SAMPLING DATA (ug/L)

		As	Cd	Cr	Cu	Pb	Мо	Ni	Se	Ag	Zn	Hg	Cr, hex	CN
JAN	RAW .	3.5	0.5	17	34	6	20	7	9	11	146	0.3	5	10
2001	SETTLED	3.5	0.5	20	20	1.5	. 18	6	3.5	9	93	0.05		
	FINAL	3.5	0.5	3	5	4	12	4	3.5	3	48	0.05	5	10
FEB	RAW	8	0.5	4	37	10	24	5	3.5	6	92	0.05	270	10
	SETTLED	8	0.5	6	23	. 6	22	5	3.5	. 4	64	0.05		
	FINAL	16	0.5	0.5	5	1.5	15	3	3.5	0.5	36	0.05	5	10
MAR	RAW	17	0.5	13	31	1.5	7	4	3.5	7	78	0.3	5	10
	SETTLED	14	0.5	15	21	1.5	12	5	3.5	6	59	0.05		
	FINAL	3.5	0.5	4	. 6	1.5	12	2	3.5	2	. 38	0.05	5	10
APR	RAW	10	0.5	43	38	13	21	9	3.5	10	184	0.2	5	10
	SETTLED	3.5	0.5	19	24	6	20	3	3.5	4	77	0.05		
	FINAL	14	0.5	38	7	1.5	13	1	3.5	0.5	48	0.05	5	10
MAY	RAW	10	0.5	12	26	1.5	21	4	10	6	121	0.05	5	10
	SETTLED	3.5	0.5	33	18	7	20	3	3.5	4	71	0.05		
	FINAL	3.5	0.5	12	5	1.5	19	1	3.5	1	35	0.05	5	10
JUN	RAW	3.5	0.5	10	22	8	13	2	3.5	. 4	60	0.05	5	10
	SETTLED	3.5	0.5	4	17	1.5	11	2	3.5	. 4	43	0.05		
	FINAL	3.5	0.5	4	2	1.5	12	1	3.5	0.5	18	0.05	5	10
JUL	RAW	16	0.5	22	38	11	28	7	3.5	7	94	0.05	5	10
	SETTLED	3.5	0.5	18	22	6	28	5	3.5	. 5	52	0.05		
	FINAL	3.5	0.5		4	1.5	25	2	3.5	0.5	22	0.05	5	10
AUG	RAW	3.5	0.5	25	38	12	42	6		13	119	0.2		10
	SETTLED	3.5	0.5	20	21	6	38	1	3.5	9'	65	0.05		
	FINAL	3.5	0.5	11	3	1.5	31	1	3.5	0.5	42	0.05		10
SEP	RAW	12	0.5	16	35	7	28	4	3.5	5	97	0.05	5	10
	SETTLED	15	0.5	10	23	1.5	26	4	3.5	2	58	0.05		
	FINAL	3.5	0.5	11	5	1.5	26	4	3.5	0.5	40	0.05		10
ОСТ	RAW	8	0.5	13	39	8	52		9	10	172	0.05	250	10
	SETTLED	12	0.5	15	23	1.5	32		3.5	5	73	0.05	1	
	FINAL	3.5	0.5	7	3	1.5	32	3	3.5	0.5	47	0.05		10
NOV	RAW	12	0.5	15	29	5	20	2	3.5	5	97	0.1	5	10
	SETTLED	3.5	0.5	12	18	10		1	3.5	4	66	0.05		
	FINAL	3.5	0,5	8	4	5	1	1	3.5	0.5	41	0.05		10
DEC	RAW	9		32	4 2	5	1	7	3.5	9	120	1.08		10.
	SETTLED	11	2	7	17	1.5	13	. 3	3.5	6	52	0.27		
	FINAL	. 9	2	13	6			1	3.5	1	32	0.18	5	10
JAN	RAW	39	0.5	0.5	24	1.5		7	3.5	7	84	0.05	100	10
2002	SETTLED	12	0.5	47	20	1.5	12	4	3.5	4	67	0.11		
	FINAL	18	0.5	63	5	1.5	9	1	3.5	0.5	34	0.05	5	10

FEB	RAW	8	0.5	21	21	8	29		3.5	5	108	0.18	5	10
	SETTLED	14	0.5	13	14	1.5	28	3	3.5	2	67	0.05		
	FINAL	3.5	0.5	1	4	1.5	27	2	3.5	0.5	36	0.05	5	10
MAR	RAW	12	0.5	43	86	4	22	3	3.5	6	113	0.11	20	10
	SETTLED	14	0.5	21	53	7	21	5	3.5	5	84	0.05		
	FINAL	3.5	0.5	19	6	1.5	20	1	3.5	2	48	0.05	5	10
APR	RAW	10	0.5	4	18	1.5	14	1	3,5	1	48	0.05	5	10
	SETTLED	10	0.5	13	17	1.5	12	1	3.5	_2	44	0.05		
	FINAL	3.5	0.5	18	4	1.5	12	1	3.5	0.5	30	0.05	5	10
MAY	RAW	3.5	0.5	20	31	6	32	6	3.5	6	148	0.2	5	10
	SETTLED	3.5	0.5	30	21	1.5	33	6	3.5	4	99	0.05		
	FINAL	3.5	0.5	: 15	5	1.5	32	1	3.5	2	64	0.05	5	10
JUN	RAW	14	0.5	8	26	1.5	25	4	3.5	0.5	117	0.05	5	10
	SETTLED	18	0.5	20	12	1.5	13	4	3.5	0.5	80	0.05		
	FINAL	22	0.5	13	21	1.5	21	4	3.5	0.5	61	0.05	5	10
JUL	RAW	13	0.5	0.5	49	7	36	5	3.5	5	121	0.05	5	10
	SETTLED	7	0.5	0.5	23	6	32	4	3.5	3	66	0.05		
	FINAL	11	0.5	0.5	4	1.5	34	5	3.5	0.5	44	0.05	5	10
		As	Cd	Cr	Cu	Pb	Mo{	Ni	Se [Ag	Zn	Hg	Cr, hex	CN
TOTAL	RAW	212	11	319	664	117.5	473	83	84	123.5	2119	3.17	745	190
	SETTLED	163	11	323.5	407	70.5	412	65	66.5	82.5	1280	1.23	-	
	FINAL	135.5	11	271	104	34.5	384	39	66.5	17.5	764	1.08	95	190
AVERAGE	RAW	10.6	0.55	15.95	33.2	5.875	23.65	4.15	4.2	6.175	105.95	0.1585	37.25	9.5
	SETTLED	8.15	0.55	16.175	20.35	3.525	20.6	3.25	3,325	4.125	64	0.0615		<u> </u>
	FINAL	6.775	0.55	13.55	5.2	1.725	19.2	1.95	3.325	0.875	38.2	0.054	4.75	9.5
Primary Rei	moval	23	0	-1	39	40	13	22	21	33	40	61	-[-
		6.1		7-1	0.1		7.51			651	641	661		
Final Remov	vai	36	0	15	84	71	19	53	21	86	64	66	87	U


WOOSTER WPCP BACKGROUND SAMPLING RESULTS

July 30, 2002 - August 5, 2002

(ug/L)

		Cd	Cr	Cu	Pb	Ni	Zn	Ag	As	Мо	Se	CN
SOUTH	30-Jul	0.5	4	95	9	3	283	0.5	3.5	1	3.5	2.5
	31-Jul	0.5	0.5	59	8	1	128	0.5	- 3.5	2	3.5	2.5
	1-Aug	0.5	11	149	16	8	379	0.5	3.5	2	3.5	2.5
	2-Aug	0.5	6	80	13	2	251	1	3.5	2	3.5	2.5
	3-Aug	0.5	7	74	7	2	178	0.5	2	0.5	3.5	2.5
	4-Aug	0.5	8	77	10	3	167	0.5	3.5	2	3.5	2.5
	5-Aug	0.5	2	70	10	2	123	0.5	3.5	2	3.5	2.5
WEST	30-Jul	0.5	4	86	12	4	596	2	3.5	2	3.5	2.5
	31-Jul	0.5	5	142	24	6	241	0.5	3.5	4	3.5	2.5
	1-Aug	0.5	1	108	10	4	186	2	3.5	2	3.5	2.5
	2-Aug	0.5	2	84	11	30	190	1	3.5	2	3.5	2.5
	3-Aug	0.5	2	106	11	3	193	0.5	3.5	3	3.5	2.5
	4-Aug	0.5	1	103	12	11	159	0.5	3.5	3	3.5	2.5
	5-Aug	0.5	2	86	11	3	184	0.5	3.5	4	3.5	2.5
EAST	30-Jul	0.5	3	65	8	4	143	5	3.5	2	3.5	-
	31-Jul	0.5	0.5	50	6	4	139	4	9	0.5	3.5	2.5
	1-Aug	0.5	0.5	58	6	3	157	4	3.5	2	3.5	2.5
	2-Aug	0.5	4	48	8	8	134	2	3.5	3	3.5	2.5
	3-Aug	0.5	10	87	8	3	168	2	3.5	4	3.5	2.5
	4-Aug	0.5	3	120	14	1	181	1	3.5	4	3.5	2.5
	5-Aug	0.5	4	61	9	1	166	4	3.5	3	3.5	2.5
AVERAGE		0.5	3.8	86.1	10.6	4.6	207.0	1.6	3.7	2.4	3.5	2.5

For concentrations detected as ND, 1/2 the detection limit was used.



WATER POLLUTION CONTROL PLANT SITE PLAN



SEP 2 5 2006

Page 1

DIVISION OF SURFACE WATER

OHIO EPA NEDO

Antidegradation Addendum

In accordance with Ohio Administrative Code 3745-1-05 (Antidegradation), additional information may be required to complete your application for a permit to install or NPDES permit. For any application that may result in an increase in the level of pollutants being discharged (NPDES and/or PTI) or for which there might be activity taking place within a stream bed, the processing of the permit(s) may be required to go through procedures as outlined in the antidegradation rule. The rule outlines procedures for public notification and participation as well as procedures pertaining to the levels of review necessary. The levels of review necessary depend on the degradation being considered/requested. The rule also outlines exclusions from portions of the application and review requirements and waivers that the Director may grant as specified in Section 3745-1-05(D) of the rule. Please complete the following questions. The answers provided will allow the Ohio EPA to determine if additional information is needed. All projects that require both an NPDES and PTI should submit both applications simultaneously to avoid going through the antidegradation process separately for each permit.

A.	Applicant: N	layor and Council, City of Wooster					
*	Facility Own	ner: City of Wooster					
	Facility Loc	cation (city and county): Wooster, Wayne County					
	Application or Plans Prepared By: Michael A. Hunter, 4-97-001						
	Project Name	: NPDES Permit Renewal					
	NPDES Permit	t Number (if applicable): 3PD00013*LD					
в.	Antidegradat	tion Applicability					
	Is the appl:	ication for? (check as many as apply):					
		Application with no direct surface water discharge (Projects that do not meet the applicability section of $3745-1-05(B)1$, i.e., on-site disposal, extensions of sanitary sewers, spray irrigation, indirect discharger to POTW, etc.). (Complete Section E)					
	X	Renewal NPDES application or PTI application with no requested increase in loading of currently permitted pollutants. (Complete Section E, Do not complete Sections C or D).					
	·	PTI and NPDES application for a new wastewater treatment works that will discharge to a surface water. (Complete Sections C and E)					
		An expansion/modification of an existing wastewater treatment works discharging to a surface water that will result in any of the following (PTI and NPDES):(Complete Sections C and E) Addition of any pollutant not currently in the discharge, or an increase in mass or concentration of any pollutant currently in the discharge, or an increase in any current pollutant limitation in terms of mass or concentration.					

	Page 2
	PTI that involves placement of fill or installation of any portion of a sewerage system (i.e., sanitary sewers, pump stations, WWTP, etc.) within 150 feet of a stream bed. Please provide information requested on the stream evaluation addendum (i.e., number of stream crossings, fill placement, etc.) and complete Section E.
	Initial NPDES permit for an existing treatment works with a wastewater discharge prior to October 1, 1996. (Complete Sections D and E)
	Renewal NPDES permit or modification to an effective NPDES permit that will result in any of the following: (Complete Sections C and E) a new permit limitation for a pollutant that previously had no limitation, or an increase in any mass or concentration limitation of any pollutant that currently has a limitation.
Antid	egradation Information
1.	Does the PTI and/or NPDES permit application meet an exclusion as outlined by OAC $3745-1-05(D)(1)$ of the Antidegradation rule?
	Yes (Complete Question C.2)
	No (Complete Questions C.3 and C.4)
2.	For projects that would be eligible for exclusions provide the following information:
	a. Provide justification for the exclusion.
	b. Identify the substances to be discharged, including the amount of regulated pollutants to be discharged in terms of mass and concentration.
	c. A description of any construction work, fill or other structures to occur or be placed in or near a stream bed.
3.	Are you requesting a waiver as outlined by OAC $3745-1-05(D)(2-7)$ of the Antidegradation rule?
	No
	Yes
	If you wish to pursue one of the waivers, please identify the waiver and submit the necessary information to support the request. Depending on the waiver requested, the information required under question C.4 may be

c.

4. For all projects that do <u>not</u> qualify for an exclusion a report must accompany this application evaluating the preferred design alternative, non-degradation alternatives, minimal degradation alternatives, and mitigative techniques/measures for the design and operation of the activity. The information outlined below should be addressed in this report. If a waiver is requested, this section is still required.

required to complete the application.

a. Describe the availability, cost effectiveness and technical feasibility of connecting to existing central or regional sewage collection and treatment facilities, including long range plans for

sewer service outlined in state or local water quality management planning documents and applicable facility planning documents.

- b. List and describe all government and/or privately sponsored conservation projects that may have been or will be specifically targeted to improve water quality or enhance recreational opportunities on the affected water resource.
- c. Provide a brief description below of all treatment/disposal alternatives evaluated for this application and their respective operational and maintenance needs. (If additional space is needed please attach additional sheets to the end of this addendum).

Preferred design alternative:

Non-degradation alternative(s):

Minimal degradation alternative(s):

Mitigative technique/measure(s):

At a minimum, the following information must be included in the report for each alternative evaluated.

- d. Outline of the treatment/disposal system evaluated, including the costs associated with the equipment, installation, and continued operation and maintenance.
- e. Identify the substances to be discharged, including the amount of regulated pollutants to be discharged in terms of mass and concentration.
- f. Describe the reliability of the treatment/disposal system, including but not limited to the possibility of recurring operation and maintenance difficulties that would lead to increased degradation.
- g. Describe any impacts to human health and the overall quality and value of the water resource.
- h. Describe and provide an estimate of the important social and economic benefits to be realized through this proposed project. Include the number and types of jobs created and tax revenues generated.
- i. Describe environmental benefits to be realized through this proposed project.
- j. Describe and provide an estimate of the social and economic benefits that may be lost as a result of this project. Include the impacts on commercial and recreational use of the water resource.

- Describe the environmental benefits lost as a result of this k. project. Include the impact on the aquatic life, wildlife, threatened or endangered species.
- A description of any construction work, fill or other structures to 1. occur or be placed in or near a stream bed.
- Provide any other information that may be useful in evaluating this m. application.

D.	Diagharas	Information
υ.	Discharde	THE OF MA CTON

Discus	rge Information
1.	For treatment/disposal systems constructed pursuant to a previously issued Ohio EPA PTI, provide the following information:
	PTI Number PTI Issuance Date Initial Date of Discharge
2.	Has the appropriate NPDES permit application form been submitted including representative effluent data?
	Yes (go to E)
	No (see below)
	If no, submit the information as applicable under a OR b as follows:
	a. For entities discharging process wastewater attach a completed

- 2C form.
- For entities discharging wastewater of domestic origin attach the results of at least one chemical analysis of the wastestream for all pollutants for which authorization to discharge is being requested and a measurement of the daily volume (gallons per day) of wastewaters being discharged.
- Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate and complete.

This section must be signed by the same responsible person who signed the accompanying permit application of certification as per 40 CFR 122.22.

Signature Date

h:revised.adm June 30, 1997